

PRODUCT INFORMATION

CF1500

196CF							
Please note that while present in the control, values are not provided for Protein Electrophoresis analytes Albumin, alpha-1-globulin, alpha-2-globulin, beta-globulin and gamma-globulin.							
INC1025(OCC1076)							





CSF CONTROL - LEVEL 2 (CSF CONTROL 2)

CAT NO. CF 1500 **LOT NO.** 196CF **SIZE:** 10 x 3 ml **EXPIRY:** 2025-04-28

GTIN: 05055273201116

INTENDED USE

This product is intended for *in vitro* diagnostic use, in the quality control of diagnostic methods using CSF as a sample on clinical chemistry systems. The CSF controls are for the control of accuracy.

DEVICE DESCRIPTION

The CSF controls are supplied at 2 levels, level 2 and 3. Target values and ranges are supplied for the following analytes at both levels: Chloride, Glucose. IgG, Lactic Acid, Sodium and Total Protein (Pyrogallol Red).

SAFETY PRECAUTIONS AND WARNINGS

For in vitro diagnostic use only. Do not pipette by mouth. Exercise the normal precautions required for handling laboratory reagents.

Human source material, from which this product has been derived, has been tested at donor level for the Human Immunodeficiency Virus (HIV 1, HIV 2) antibody, Hepatitis B Surface Antigen (HbsAg), and Hepatitis C Virus (HCV) antibody and found to be NON-REACTIVE. FDA approved methods have been used to conduct these tests.

However, since no method can offer complete assurance as to the absence of infectious agents, this material and all patient samples should be handled as though capable of transmitting infectious diseases and disposed of accordingly.

Health and Safety Data Sheets are available on request.

STORAGE AND STABILITY

OPENED: Store refrigerated (+2°C to +8°C). Reconstituted CSF control material is stable for 14 days at +2°C to +8°C, if kept capped in original container and free from contamination. No stability claim is made for electrophoresis analytes. Only the required amount of product should be removed. After use, any residual product should NOT BE RETURNED to the original vial.

UNOPENED: Store refrigerated (+2°C to +8°C). Stable to expiration date printed on individual vials.

PREPARATION FOR USE

The CSF Control is supplied lyophilised.

- Carefully reconstitute each vial of lyophilised CSF control with exactly 3 ml of distilled water at +15°C to +25°C. Close the
 bottle and allow to stand for 30 minutes before use. Ensure contents are completely dissolved by swirling gently. Avoid
 formation of foam. Do not shake.
- 2. Refer to the Control section of the individual analyser application.
- 3. Refrigerate any unused material. Prior to reuse, mix contents thoroughly.

MATERIALS PROVIDED

MATERIALS REQUIRED BUT NOT PROVIDED

Volumetric pipette

ASSIGNED VALUES

Values are assigned internally at Randox Laboratories Ltd., in comparison to a master lot of control material.

EC REP

Randox Teoranta, Meenmore, Dungloe, Donegal, F94 TV06, Ireland

08 Jul '22 me



CSF CONTROL LEVEL 2 (CSF CONTROL 2) Lot. No. 196CF Cat. No. CF1500						
Analyte	unit	Target	low	high	methods	
Chloride	mmol/l	90.9	83.6	98.2	lon selective electrode	
Glucose	mmol/l	3.43	2.92	3.94	Glucose oxidase	
	mg/dl	61.8	52.6	71.0		
	mmol/l	3.43	2.92	3.94	Hexokinase	
	mg/dl	61.8	52.6	71.0		
Immunoglobulin G	mg/l	36.9	30.3	43.5	Immunoturbidimetric	
	mg/dl	3.69	3.03	4.35		
Lactate	mmol/l	0.44	0.36	0.51	Enzymatic	
	mg/dl	3.92	3.22	4.62		
Protein Total	g/I	0.258	0.206	0.310	Pyrogallol Red	
	mg/dl	25.8	20.6	31.0		
	mg/l	258	206	310		
Sodium	mmol/l	132	125	139	Ion selective electrode	